



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Foreign statistical reports of countries and cities—Yearly and monthly.

AFRICA—*Sierra Leone*.—Two weeks ended June 23, 1900. Estimated population, 30,000. Total number of deaths, 45. No deaths from contagious diseases. African malarial fever is severely prevalent.

AUSTRIA—*Brunn*.—Month of May, 1900. Estimated population, 882,660. Total number of deaths, 297, including diphtheria, 1, and 47 from tuberculosis.

FRANCE — *Nice*. — Month of June, 1900. Estimated population, 108,227. Total number of deaths, 171, including enteric fever, 2; measles, 1, and 28 from phthisis pulmonalis.

GERMANY—*Dresden*.—Month of May, 1900. Estimated population, 406,500. Total number of deaths, 597, including diphtheria, 5; measles, 5; whooping cough, 5, and 93 from phthisis pulmonalis.

Hanover.—Month of May, 1900. Estimated population, 250,145. Total number of deaths, 301, including diphtheria, 5; enteric fever, 1; measles, 1; scarlet fever, 2, and 53 from phthisis pulmonalis.

Weimar.—Month of June, 1900. Estimated population, 29,633. Total number of deaths, 35. No deaths from contagious diseases.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns in England and Wales during the week ended July 7, 1900, correspond to an annual rate of 14.5 a thousand of the aggregate population, which is estimated at 11,610,296. The highest rate was recorded in Sunderland, viz, 24.1, and the lowest in West Ham, viz, 9.1.

London.—One thousand one hundred and ninety-one deaths were registered during the week, including measles, 35; scarlet fever, 10; diphtheria, 20; whooping cough, 37; enteric fever, 7, and diarrhea and dysentery, 20. The deaths from all causes correspond to an annual rate of 13.5 a thousand. In Greater London 1,591 deaths were registered, corresponding to an annual rate of 12.5 a thousand of the population. In the "outer ring" the deaths included 8 from diphtheria, 9 from measles, 2 from scarlet fever, and 15 from whooping cough.

Ireland —The average annual death rate represented by the deaths registered during the week ended July 7, 1900, in the 22 principal town districts of Ireland was 18.4 a thousand of the population, which is estimated at 1,062,188. The lowest rate was recorded in Ballymena, viz, 0.0, and the highest in Galway, viz, 45.3 a thousand. In Dublin and suburbs 124 deaths were registered, including enteric fever, 2, and 3 from whooping cough.

Scotland.—The deaths registered in 8 principal towns during the week ended July 7, 1900, correspond to an annual rate of 17.7 a thousand of the population, which is estimated at 1,606,935. The lowest mortality was recorded in Perth, viz, 8.4, and the highest in Glasgow, viz, 20.3 a thousand. The aggregate number of deaths registered from all causes was 546, including diphtheria, 2; measles, 20; scarlet fever, 4; small-pox, 2, and 22 from whooping cough.

RUSSIA—*Riga*.—Month of May, 1900. Estimated population, 282,000. Total number of deaths, 665, including diphtheria, 4; enteric fever, 8; measles, 3; scarlet fever, 5; whooping cough, 10; smallpox, 14, and 73 from phthisis pulmonalis.

Siberia—Vladivostock.—Month of April, 1900. Estimated population, 13,050. No deaths.

ST. HELENA.—Two weeks ended June 23, 1900. Estimated population, 4,270. Total number of deaths, 52. No deaths from contagious diseases.